## NSN 3020-00-505-9116

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-505-9116

Body Style:
Webbed, offset, solid
Pitch Diameter:
3.6000 inches
Teeth Quantity:
36
Bore Style:
W/ keyway both ends
Hardness Rating:
25.0 rockwell c and 45.0 rockwell c hub
Outside Diameter:
3.762 inches
Nominallength:
1.408 inches
Tooth Form:
Stub
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.048 inches second end
Face Width:
Face Width: 0.310 inches
0.310 inches
0.310 inches  Bore Diameter:
0.310 inches  Bore Diameter:  0.609 inches both ends
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width:
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends  Distance From Bore Center To Keyway Bottom:
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends  Distance From Bore Center To Keyway Bottom: 0.3688 inches both ends
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends  Distance From Bore Center To Keyway Bottom: 0.3688 inches both ends  Hub Style Designator:
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends  Distance From Bore Center To Keyway Bottom: 0.3688 inches both ends  Hub Style Designator:  Plain second end
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends  Distance From Bore Center To Keyway Bottom: 0.3688 inches both ends  Hub Style Designator:  Plain second end  Hub Diameter:
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends  Distance From Bore Center To Keyway Bottom: 0.3688 inches both ends  Hub Style Designator: Plain second end  Hub Diameter: 1.280 inches second end
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends  Distance From Bore Center To Keyway Bottom: 0.3688 inches both ends  Hub Style Designator:  Plain second end  Hub Diameter: 1.280 inches second end  End Length:
0.310 inches  Bore Diameter:  0.609 inches both ends  Keyway Width:  0.127 inches both ends  Distance From Bore Center To Keyway Bottom:  0.3688 inches both ends  Hub Style Designator:  Plain second end  Hub Diameter:  1.280 inches second end  End Length:  1.028 inches first end
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends  Distance From Bore Center To Keyway Bottom: 0.3688 inches both ends  Hub Style Designator: Plain second end  Hub Diameter: 1.280 inches second end  End Length: 1.028 inches first end  End Diameter:
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends  Distance From Bore Center To Keyway Bottom: 0.3688 inches both ends  Hub Style Designator:  Plain second end  Hub Diameter: 1.280 inches second end  End Length: 1.028 inches first end  End Diameter: 0.873 inches first end
0.310 inches  Bore Diameter: 0.609 inches both ends  Keyway Width: 0.127 inches both ends  Distance From Bore Center To Keyway Bottom: 0.3688 inches both ends  Hub Style Designator: Plain second end  Hub Diameter: 1.280 inches second end  End Length: 1.028 inches first end  End Diameter: 0.873 inches first end  First Step Length:

Material: Steel

## NSN 3020-00-505-9116

Spur Gear - Page 2 of 2



Sty	ما	n	20	in	n	at.	۸r	
Oty:	Œ	$\boldsymbol{\mathcal{L}}$	C3	ıy	••	aι	vı	•

Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300