NSN 3020-00-505-9993

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-505-9993

| Body Style: |
|---|
| Webbed, solid |
| Attachment Method: |
| Mounting hole |
| Pitch Diameter: |
| Between 4.0317 inches and 4.0337 inches |
| Teeth Quantity: |
| 42 |
| Bore Style: |
| Plain both ends |
| Hardness Rating: |
| 50.0 rockwell c and 55.0 rockwell c |
| Mounting Hole Type And Quantity: |
| 4 plain axially through body, first end |
| Outside Diameter: |
| 4.187 inches |
| Teeth Type: |
| Single helix |
| Tooth Form: |
| Standard |
| Tooth Direction: |
| Left |
| Pressure Angle: |
| 20.0000 degrees |
| Helix Angle: |
| 29.8333 degrees |
| Body Recess Depth: |
| 0.313 inches second end |
| Face Width: |
| 1.125 inches |
| Bore Diameter: |
| 1.125 inches both ends |
| Mounting Hole Diameter: |
| 0.344 inches axially through body, first end |
| Bolt Hole Circle Diameter: |
| 1.875 inches axially through body, first end |
| Material: |
| Steel comp 4320 and steel comp 4615 |
| Material Specification: |
| 66, aisi/sae 4320, 4615 federal standard single material response |
| Style Designator: |

Hubless, recessed body

NSN 3020-00-505-9993

Helical Gear - Page 2 of 2



| C | ha | Ιf | 1 | ife | |
|---|-----|----|---|-------|--|
| • | ııe | | _ | .II C | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300