## NSN 3020-00-507-9289

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-507-9289

| Body Style:   |
|---|
| Plain, with lightening holes  |
| Pitch Diameter:   |
| Between 3.2790 inches and 3.2810 inches                             |
| Teeth Quantity:   |
| 105   |
| Bore Style:   |
| Plain both ends   |
| Outside Diameter:   |
| 3.340 inches  |
| Nominallength:  |
| 0.620 inches  |
| Tooth Form:   |
| Standard  |
| Pressure Angle:   |
| 14.5000 degrees   |
| Distance Between Body Face And Protruding Hub End:                  |
| 0.212 inches second end   |
| Face Width:   |
| 0.1875 inches   |
| Bore Diameter:  |
| 0.313 inches both ends  |
| Hub Style Designator:   |
| Pinned first end  |
| Hub Diameter:   |
| 0.563 inches first end  |
| Precision Classification:   |
| Quality number 9  |
| End Diameter:   |
| 0.374 inches second end   |
| Material:   |
| Steel comp 1045   |
| Material Specification:   |
| Qq-s-633, comp c1045 federal specification single material response |
| Surface Treatment:  |
| Oxide   |
| Style Designator:   |
| Protruding hubs   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 3020-00-507-9289

Spur Gear - Page 2 of 2



Demilitarization:

No

Fiig:

A27300