## NSN 3020-00-510-6411

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-510-6411 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.6250 inches **Teeth Quantity:** 15 **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end Nominallength: 0.562 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.312 inches first end **Face Width:** 0.250 inches **Bore Diameter:** 0.250 inches both ends **Hub Diameter:** 0.500 inches first end **Precision Classification:** Quality number 12 Material: Steel comp 416 **Material Specification:** Qq-s-764, type 416 cond a federal specification single material response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-std-171, finish no. 5.4.1 military standard single treatment response **Style Designator:** Protruding hub

Shelf Life: N/a

## NSN 3020-00-510-6411

Spur Gear - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-std-171 spec.