NSN 3020-00-511-9925

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-511-9925

Body Style: Webbed, offset, solid **Attachment Method:** Mounting hole **Pitch Diameter:** 1.2500 inches **Teeth Quantity:** 60 **Bore Style:** Plain both ends Mounting Hole Thread Series Designator: Unc transversely through hub, first end **Mounting Hole Thread Size:** 0.138 inches transversely through hub, first end Mounting Hole Type And Quantity: 2 threaded transversely through hub, first end **Outside Diameter:** 1.2917 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.2180 inches first end Face Width: 0.094 inches **Bore Diameter:** 0.250 inches both ends Hub Style Designator: 1 step first end End Length: 0.0200 inches first end **Precision Classification:** Quality number 8 End Diameter: 0.3400 inches first end First Step Length: 0.1980 inches first end **First Step Diameter:** 0.5000 inches first end **Special Features:**

Mtg holes 90 degrees apart, centered 0.125 in. From end of hub

NSN 3020-00-511-9925

Spur Gear - Page 2 of 2



Material:

Aluminum alloy 6061

Material Specification:

Qq-a-225/8, t6 federal specification single material response

Surface Treatment:

Anodize

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300