

View Online at <https://aerobasegroup.com/nsn/3020-00-517-0775>

**Groove Depth:**

0.688 inches

**Groove Width:**

0.688 inches

**Outside Diameter:**

6.375 inches

**Overall Length:**

2.359 inches

**Keyway Width:**

Between 0.250 inches and 0.251 inches

**Thread Size:**

3/8-16

**Bore Diameter:**

Between 1.530 inches and 1.531 inches

**Bore Length:**

1.531 inches

**Distance From Center Of Bore To Bottom Of Keyway:**

0.907 inches

**V Groove Angle In Deg:**

38.0

**Pitch Diameter:**

5.840 inches

**Securing Hole Quantity:**

2

**Material And Location:**

Steel

**Face Width:**

1.328 inches

**Design Form:**

Webbed

**Bore Type:**

Straight

**Bearings:**

Not included

**Groove Quantity:**

1

**Counterbore Feature:**

Not included

**Hole Location:**

On webbing

**Keying Facility:**

Included

**Keying Facility Type:**

Keyway

**Securing Method:**

Threaded hole

**Split Hub Feature:**

Not included

**Web/spoke Relationship To Face Centerline:**

Offset

**Lightening Hole:**

Not included

**Integral Cooling Vane:**

Not included

**Groove Shape:**

V

**Bore Feature:**

Included

**Hub End Outside Diameter And Location:**

2.180 inches aa end and 2.187 inches aa end and 1.969 inches bb end

**Distance From Outside Flange/rim To Hub End And Location:**

1.031 inches aa end and 0.828 inches bb end

**Quantity:**

1

**Style Designator:**

Webbed or spoked

**Fsc Application Data:**

Engine, gasoline, nonaircraft

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T353-a