## NSN 3020-00-517-2426

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-517-2426

Outside Diameter:
2.231 inches
Overall Length:
0.750 inches
Keyway Width:
0.125 inches
Bore Diameter:
0.750 inches
Bore Length:
0.750 inches
Distance From Center Of Bore To Bottom Of Keyway:
0.438 inches
Pitch Diameter:
2.041 inches
Face Width:
0.168 inches
Guide:
Not included
Design Form:
Plain
Bore Type:
Straight
Metallic Hardness Rating And Location:
50.0 rockwell c hub and 55.0 rockwell c hub
Counterbore Feature:
Not included
Keying Facility:
Included
Keying Facility Type:
Keyway
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:

17

## **NSN 3020-00-517-2426** Sprocket Wheel - Page 2 of 2



Asa Standard Chain Number:
35
Hardness Rating Test Method:
Rockwell
Teeth Hardness Rating:
Between 50.0 rockwell c and 55.0 rockwell c
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.375 inches
Hub End Outside Diameter And Location:
1.500 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.291 inches both ends
Material:
Steel, sae 1040 to 1045
Material:
Steel, sae 1040 to 1045
Quantity:
1
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c