NSN 3020-00-517-2649

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-517-2649

Body Style:

Webbed, offset, solid

Pitch Diameter:

2.0000 inches

Teeth Quantity:

20

Bore Style:

W/ keyway both ends

Outside Diameter:

2.161 inches

Tooth Form:

Stub

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

1.0625 inches first end

Body Recess Depth:

0.4375 inches second end

Face Width:

0.375 inches

Bore Diameter:

0.751 inches both ends

Keyway Width:

0.158 inches both ends

Distance From Bore Center To Keyway Bottom:

0.453 inches both ends

Hub Style Designator:

1 step first end

End Length:

0.250 inches first end

End Diameter:

1.1875 inches first end

First Step Length:

0.5188 inches first end

First Step Diameter:

1.750 inches first end

Special Features:

2 tapped puller holes 0.250-28 unf, 1-188 c to c $% \left(1-1\right) =0$

Material:

Steel comp 1213

Material Specification:

Fed-std-66 federal standard single material response

NSN 3020-00-517-2649

Spur Gear - Page 2 of 2

Style Designator:

Protruding hub, recessed body

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300

