## NSN 3020-00-517-3109

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-517-3109
Body Style:
Plain, solid
Pitch Diameter:
1.6660 inches
Teeth Quantity:
20
Bore Style:
W/ keyway both ends
Hardness Rating:
35.0 rockwell c and 38.0 rockwell c
Outside Diameter:
1.830 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.2812 inches first end
Face Width:
0.562 inches
Bore Diameter:
0.669 inches both ends
Keyway Width:
0.187 inches both ends
Distance From Bore Center To Keyway Bottom:
0.4255 inches both ends
Hub Style Designator:
Plain second end
Hub Diameter:
1.000 inches second end
End Length:
0.1572 inches first end
End Diameter:
1.000 inches first end
First Step Length:
0.125 inches first end
First Step Diameter:
1.4375 inches first end
Special Features:
2 holes drilled 0.2031 in diameter by 0.500 in deep, 0.2656 in diameter counterbore by 0.062 in deep, 1/4-20 intap by 0.375 in deep, 180
degrees apart, 90 degrees from keyway
Material:

Steel comp 3135

## NSN 3020-00-517-3109

Spur Gear - Page 2 of 2



Material Specification:
-------------------------

Fed-std-66 federal standard single material response

**Style Designator:** 

Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300