NSN 3020-00-525-7828



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-525-7828 **Body Style:** Plain, solid Pitch Diameter: 0.7080 inches **Teeth Quantity:** 17 **Bore Style:** Plain both ends Hardness Rating: 55.0 rockwell c and 60.0 rockwell c bore surface **Outside Diameter:** 0.791 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees Distance Between Body Face And Protruding Hub End: 0.300 inches first end **Face Width:** 0.500 inches **Bore Diameter:** 0.375 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.600 inches first end **Special Features:** 1 0.128 in. Diameter plain hole on hub for positioning Material: Steel comp 440c **Material Specification:** Qq-s-763, class 440c federal specification single material response **Surface Treatment: Passivate Surface Treatment Specification:** Mil-f-14072, finish e300 military specification single treatment response Style Designator: Protruding hub Shelf Life:

N/a **Unit Of Measure:**

NSN 3020-00-525-7828

Spur Gear - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-f-14072 spec.