NSN 3020-00-525-7834

Spur Gear - Page 1 of 2

N/a



View Online at https://aerobasegroup.com/nsn/3020-00-525-7834

Body Style:
Webbed, with lightening holes
Pitch Diameter:
4.1000 inches
Teeth Quantity:
82
Bore Style:
W/ keyway both ends
Outside Diameter:
4.1975 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.030 inches second end
Face Width:
0.500 inches
Bore Diameter:
0.590 inches both ends
Keyway Width:
0.127 inches both ends
Distance From Bore Center To Keyway Bottom:
0.3685 inches both ends
Hub Style Designator:
Plain both ends
Hub Diameter:
0.900 inches both ends
Special Features:
Second end hub chamfered 0.100 inches by 45.0 degrees; end item, reeling machine, texas instruments model an/asq-81v1-22
Material:
Steel comp 630
Material Specification:
Ams 5643, 17-4ph assn standard single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Mil-f-14072, finish e300 military specification single treatment response
Style Designator:
Protruding hub, recessed body
Shelf Life:

NSN 3020-00-525-7834

Spur Gear - Page 2 of 2



		eas	

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-f-14072 spec.