## NSN 3020-00-525-9937

Gear Cluster - Page 1 of 2





View Online at https://aerobasegroup.com/nsn/3020-00-525-9937

## Attachment Method:

Mounting hole

## Bore Style:

W/stepped counterbore first end

## Design Type:

Spur second gear

## **Construction:**

Solid

#### Hardness Rating:

50.0 rockwell c teeth and 60.0 rockwell c teeth

#### **Outside Diameter:**

4.550 inches first gear

#### Nominallength:

4.120 inches

Hub Length:

1.080 inches between first and second gear

#### Bore Diameter:

0.440 inches both ends

#### **Counterbore Depth:**

1.240 inches first end

## **Counterbore Diameter:**

1.181 inches first end

## Hub Style Designator:

3 steps between first and second gear

#### Hub Diameter:

2.020 inches between first and second gear

#### **Precision Classification:**

Quality number 10 all gears

#### Material:

Steel comp 8620

#### **Material Specification:**

Qq-s-624 federal specification single material response

#### Surface Treatment:

Passivate

#### Surface Treatment Specification:

Mil-std-171, finish no.5.3.1 or no.5.3.2 military standard single treatment response

#### Shelf Life:

N/a

#### Unit Of Measure:

--

#### Demilitarization:

No

# NSN 3020-00-525-9937

Gear Cluster - Page 2 of 2

Fiig: A270a0 Mil-std (military Standard):

Mil-std-171 spec.

