NSN 3020-00-528-0088

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-528-0088 **Body Style:** Plain, with lightening holes **Spline Quantity:** 10 both ends Pitch Diameter: 2.2500 inches **Teeth Quantity:** 90 **Bore Style:** Involute spline both ends Hardness Rating: 20.0 rockwell c and 25.0 rockwell c teeth **Outside Diameter:** 2.298 inches Nominallength: 0.687 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.500 inches first end **Face Width:** 0.187 inches **Bore Diameter:** 0.500 inches both ends **Counterbore Depth:** 0.125 inches first end **Counterbore Diameter:** 0.505 inches first end **Hub Style Designator:** Plain first end **Hub Diameter:** 0.750 inches first end Material: Steel comp 8640 **Material Specification:** 66, aisi/sae 8640 federal standard single material response

Surface Treatment: Phosphate manganese

Surface Treatment Specification:

Mil-10232a, type 1 military specification single treatment response

NSN 3020-00-528-0088

Spur Gear - Page 2 of 2



Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
Demilitarization:

Mil-std (military Standard):

spec.