# NSN 3020-00-528-0994

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-528-0994

### **Outside Diameter:**

1.500 inches

#### **Overall Length:**

0.750 inches

# Bore Diameter:

0.501 inches

# Bore Length:

0.750 inches

#### **Drilled Hole Diameter:**

0.198 inches

#### Pitch Diameter:

1.331 inches

#### Securing Hole Quantity:

1

### Face Width:

# 0.125 inches

**Design Form:** 

Plain

#### Bore Type:

Straight

#### Counterbore Feature:

Not included

### Hole Location:

Located through hub 1/4 in. From end

#### **Keying Facility:**

Not included

#### **Securing Method:**

Drilled hole

#### Lightening Hole:

Not included

# Protruding Hub Characteristic:

Plain

# Belt/chain/film Size For Which Designed:

Roller chain

# Roller Chain Pitch Type For Which Designed:

Single pitch

# Teeth Row Quantity:

1

#### Teeth Quantity Per Row:

11

# Asa Standard Chain Number:

35b11 /type b/

# NSN 3020-00-528-0994

Sprocket Wheel - Page 2 of 2



# Hardness Rating Test Method: Not rated **Bore Bearing:** Not included Hub External Keyway: Not included **Tooth Pitch:** 0.375 inches Hub End Outside Diameter And Location: 0.859 inches aa end Distance From Outside Flange/rim To Hub End And Location: 0.625 inches aa end Material: Steel, sae 1040 Material: Steel comp 1040 **Material Specification:** Sae 1040 assn standard single material response Style Designator: Plain Shelf Life: N/a Unit Of Measure: ---Demilitarization: Yes - demil/mli Fiig:

Т353-с