# NSN 3020-00-528-1160

Spur Gear - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/3020-00-528-1160



## **Body Style:**

Webbed, solid

**Attachment Method:** 

Mounting hole

## Pitch Diameter:

Between 2.9980 inches and 3.0000 inches

## **Teeth Quantity:**

144

## Bore Style:

W/counterbore both ends

#### Mounting Hole Thread Series Designator:

Unc transversely through hub, first end

#### Mounting Hole Thready Qty Per Inch (tpi):

32 transversely through hub, first end

#### Mounting Hole Thread Size:

0.138 inches transversely through hub, first end

## Mounting Hole Type And Quantity:

2 threaded transversely through hub, first end

#### **Outside Diameter:**

3.041 inches

## Nominallength:

0.422 inches

## Tooth Form:

Standard

#### **Pressure Angle:**

14.5000 degrees

## Distance Between Body Face And Protruding Hub End:

0.050 inches second end

#### Face Width:

0.125 inches

#### Bore Diameter:

0.188 inches both ends

#### **Counterbore Depth:**

0.078 inches second end

#### Counterbore Diameter:

0.470 inches second end

## Hub Style Designator:

Plain second end

Hub Diameter:

0.498 inches second end

## Material:

Copper alloy

# NSN 3020-00-528-1160

Spur Gear - Page 2 of 2

Surface Treatment:

Nickel

Style Designator:

Protruding hubs

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

Fiig:

A27300

