## NSN 3020-00-528-1248



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-528-1248 **Body Style:** Webbed, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.5000 inches **Teeth Quantity:** 24 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.542 inches Nominallength: 0.625 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.532 inches first end **Face Width:** 0.093 inches **Bore Diameter:** 0.250 inches both ends

**Hub Style Designator:** Pinned first end

**Hub Diameter:** 0.405 inches first end

Material:

Copper alloy

**Material Specification:** 

Qq-c-450 federal specification single material response

**Style Designator:** 

Protruding hub, recessed body

## NSN 3020-00-528-1248

Spur Gear - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300