NSN 3020-00-528-1291

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-528-1291

g
Outside Diameter:
0.680 inches
Overall Length:
Between 0.214 inches and 0.219 inches
Bore Diameter:
Between 0.248 inches and 0.250 inches
Bore Length:
Between 0.214 inches and 0.219 inches
Pitch Diameter:
0.600 inches
Face Width:
0.093 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Keying Facility:
Not included
Lightening Hole:
Not included
Belt/chain/film Size For Which Designed:
Ladder chain
Teeth Row Quantity:
1
Teeth Quantity Per Row:
10
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.185 inches
Hub End Outside Diameter And Location:
0.375 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.121 inches aa end and 0.126 inches aa end

Material:

Brass, qq-b-636, class a-canceled

NSN 3020-00-528-1291

Sprocket Wheel - Page 2 of 2

Material:

T353-c



Copper alloy 464
Material Specification:
Qq-b-636, class a-canceled federal specification single material response
Surface Treatment:
Nickel
Style Designator:
Plain
Surface Treatment:
Nickel plated
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: