## NSN 3020-00-528-4068



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-528-4068 **Body Style:** Webbed, solid **Spline Quantity:** 24 both ends Pitch Diameter: 4.5000 inches **Teeth Quantity:** 45 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 1.2000 inches both ends **Hardness Rating:** 58.0 rockwell c and 62.0 rockwell c teeth **Outside Diameter:** 4.665 inches Nominallength: 3.610 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 2.241 inches first end **Face Width:** 0.560 inches **Bore Diameter:** 1.221 inches both ends **Counterbore Depth:** 1.880 inches second end **Counterbore Diameter:** 1.375 inches second end **Hub Style Designator:** Plain both ends **Hub Diameter:** 1.575 inches second end **Precision Classification:** 

Precision Classific Quality number 11 Material: Steel

Material Specification:

Ams6272 assn standard single material response

## NSN 3020-00-528-4068

Spur Gear - Page 2 of 2



Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300