## NSN 3020-00-528-4082

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-528-4082

| Body Style:  |
|--|
| Webbed, offset, with lightening holes              |
| Attachment Method:                                 |
| Mounting hole                                      |
| Pitch Diameter:                                    |
| 3.0000 inches                                      |
| Teeth Quantity:                                    |
| 30   |
| Bore Style:  |
| W/counterbore counterbore, first end               |
| Mounting Hole Thread Series Designator:            |
| Unf axially through body, first end                |
| Hardness Rating:                                   |
| 58.0 rockwell c and 62.0 rockwell c teeth          |
| Mounting Hole Thread Size:                         |
| 0.250 inches axially through body, first end       |
| Mounting Hole Type And Quantity:                   |
| 2 threaded axially through body, first end         |
| Outside Diameter:                                  |
| 3.1635 inches                                      |
| Tooth Form:  |
| Standard   |
| Pressure Angle:                                    |
| 20.0000 degrees                                    |
| Distance Between Body Face And Protruding Hub End: |
| 0.120 inches first end                             |
| Body Recess Depth:                                 |
| 0.250 inches second end                            |
| Face Width:  |
| 0.690 inches                                       |
| Bore Diameter:                                     |
| 1.250 inches counterbore, first end                |
| Counterbore Depth:                                 |
| 0.280 inches counterbore, first end                |
| Counterbore Diameter:                              |
| 2.3755 inches counterbore, first end               |
| Hub Style Designator:                              |
| Plain first end                                    |
| Hub Diameter:                                      |
| 2.6200 inches first end                            |
| Material:  |

Steel comp 8620

## NSN 3020-00-528-4082

Spur Gear - Page 2 of 2



| Material Specification: |
|-------------------------|
|-------------------------|

66 federal standard single material response

Style Designator:

Protruding hub, recessed body

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300