NSN 3020-00-532-0449



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-532-0449 **Body Style:** Plain, solid **Spline Quantity:** 12 both ends **Attachment Method:** Mounting hole Pitch Diameter: Between 0.8100 inches and 0.8200 inches **Teeth Quantity:** 7 **Bore Style:** Involute spline both ends **Mounting Hole Type And Quantity:** 1 plain transversely through hub, first end **Outside Diameter:** 1.500 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.390 inches first end **Body Recess Depth:** 0.220 inches second end **Face Width:** 0.597 inches **Bore Diameter:** 0.435 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.6227 inches first end **Mounting Hole Diameter:** 0.187 inches transversely through hub, first end **Special Features:** 0.451-0.455 inch outside diameter, 0.177-0.197 inch inside diameter plug installed in hub end of bore; counterbore located second end, diameter 0.625 inches, depth 0.230 inches Material: Steel

Material Specification:

Ams6260 assn standard single material response

Style Designator:

Protruding hub, recessed body

NSN 3020-00-532-0449

Spur Gear - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300