NSN 3020-00-540-4311

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-540-4311 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 1.1250 inches **Teeth Quantity:** 36 **Bore Style:** W/counterbore counterbore, first end **Mounting Hole Thread Series Designator:** Unc axially through hub, first end **Hardness Rating:** 200.0 brinell standard and 300.0 brinell standard **Mounting Hole Thread Size:** 0.138 inches axially through hub, first end **Mounting Hole Type And Quantity:** 2 threaded axially through hub, first end **Outside Diameter:** 0.562 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.302 inches first end **Face Width:** 0.250 inches **Bore Diameter:** 0.531 inches counterbore, first end **Counterbore Depth:** 0.125 inches counterbore, first end **Counterbore Diameter:** 0.926 inches counterbore, first end **Hub Style Designator:** Plain first end **Hub Diameter:** 0.7485 inches first end Material: Steel comp 8640

Material Specification:

Fed standard 66 federal standard single material response

NSN 3020-00-540-4311

Spur Gear - Page 2 of 2



_	•	_	_	-		
<u>ن</u>	ırfa	ര	ľΩ	2tn	nai	١.

Phosphate

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300