

View Online at <https://aerobasegroup.com/nsn/3020-00-541-1573>

**Outside Diameter:**

4.307 inches

**Bolt Circle Diameter:**

2.125 inches

**Bore Diameter:**

Between 1.2495 inches and 1.2505 inches

**Bore Length:**

0.375 inches

**Pitch Diameter:**

4.307 inches

**Securing Hole Quantity:**

4

**Face Width:**

2.125 inches

**Guide:**

Not included

**Design Form:**

Webbed

**Bore Type:**

Straight

**Metallic Hardness Rating And Location:**

25.0 rockwell c hub

**Counterbore Feature:**

Not included

**Hole Location:**

Located between bore and face of sprocket

**Keying Facility:**

Not included

**Securing Method:**

Drilled hole

**Lightening Hole:**

Not included

**Belt/chain/film Size For Which Designed:**

Silent chain

**Teeth Row Quantity:**

3

**Center To Center Distance Between Teeth Rows:**

0.859 inches

**Teeth Quantity Per Row:**

27

**Hardness Rating Test Method:**

Rockwell

**Teeth Hardness Rating:**

25.0 rockwell c

**Bore Bearing:**

Not included

**Hub External Keyway:**

Not included

**Tooth Pitch:**

0.500 inches

**Material:**

Steel, mil-s-16788, class c2

**Material:**

Steel comp 1020

**Material Specification:**

Mil-s-16788, class c2 military specification single material response

**Style Designator:**

Webbed or spoked

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T353-c

**Mil-std (military Standard):**

Mil-s-16788 spec.