

View Online at <https://aerobasegroup.com/nsn/3020-00-541-1735>

Groove Depth:

0.688 inches

Groove Width:

Between 0.654 inches and 0.658 inches

Outside Diameter:

5.000 inches

Overall Length:

2.250 inches

Keyway Width:

Between 0.249 inches and 0.252 inches

Thread Size:

5/16 -18

Bore Diameter:

Between 0.9365 inches and 0.9375 inches

Bore Length:

2.250 inches

Distance From Center Of Bore To Bottom Of Keyway:

Between 0.582 inches and 0.587 inches

V Groove Angle In Deg:

38.0

Pitch Diameter:

4.563 inches

Securing Hole Quantity:

1

Material And Location:

Iron, 102, grade 2, national supply co

Face Width:

1.625 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

2

Counterbore Feature:

Not included

Hole Location:

Located 180 degrees from keyway

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Threaded hole

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Not included

Groove Shape:

V

Standard V-belt Section Designation For Which Designed:

B

Bore Feature:

Included

Securing Location:

Aa end

Hub End Outside Diameter And Location:

2.000 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

0.625 inches both ends

Special Features:

2 holes 1/2 -13 thd size on a 2-3/4 in. Bolt circle

Quantity:

1

Style Designator:

Webbed or spoked

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-a