## NSN 3020-00-541-4111

Spur Gear - Page 1 of 2

**Body Style:** 



View Online at https://aerobasegroup.com/nsn/3020-00-541-4111

Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
2.8125 inches
Teeth Quantity:
135
Bore Style:
W/ keyway both ends
Mounting Hole Type And Quantity:
2 plain axially through body, first end
Outside Diameter:
2.860 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.5020 inches first end
Face Width:
0.438 inches
Bore Diameter:
0.669 inches both ends
Keyway Width:
0.125 inches both ends
Distance From Bore Center To Keyway Bottom:
0.3988 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.0600 inches first end
End Diameter:
0.7690 inches first end
First Step Length:
0.4420 inches first end
First Step Diameter:
1.3800 inches first end
Mounting Hole Diameter:
0.323 inches axially through body, first end
Bolt Hole Circle Diameter:

Boil Hole Officie Blameter.

2.060 inches axially through body, first end

## **NSN 3020-00-541-4111** Spur Gear - Page 2 of 2



Special Features:
Mounting holes 180 degrees apart
Material:
Steel
Surface Treatment:
Oxide
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A27300