NSN 3020-00-541-7418

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-541-7418

Outside Dismeters
Outside Diameter: 1.000 inches
Overall Length: 0.500 inches
Thread Size:
6-32
Bore Diameter:
0.250 inches
Bore Length:
0.500 inches
Drilled Hole Diameter:
0.082 inches
Pitch Diameter:
0.887 inches
Securing Hole Quantity:
1 or 1
Face Width:
0.110 inches
Guide:
Not included
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Hole Location:
Located 0.188 in. From end of hub, located 0.188 in. From end of hub 90 degrees from threaded hole
Keying Facility:
Not included
Securing Method:
Threaded hole or drilled hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Plain
Securing Location:
Aa end
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:

Single pitch

NSN 3020-00-541-7418 Sprocket Wheel - Page 2 of 2



Teeth Row Quantity:
1
Teeth Quantity Per Row:
11
Asa Standard Chain Number:
25
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.250 inches
Hub End Outside Diameter And Location:
0.563 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.390 inches both ends
Material:
Steel
Material:
Steel
Surface Treatment:
Cadmium
Style Designator:
Plain
Surface Treatment:
Cadmium plated
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Filg:
T353-c