## NSN 3020-00-541-8368

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-541-8368

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
5.0620 inches
Teeth Quantity:
162
Bore Style:
Plain both ends
Mounting Hole Type And Quantity:
4 countersunk axially through body, second end and 2 plain axially through body, second end
Outside Diameter:
5.1250 inches
Tooth Form:
Standard
Pressure Angle:
14.5000 degrees
Distance Between Body Face And Protruding Hub End:
0.1715 inches first end
Face Width:
0.062 inches
Bore Diameter:
2.6250 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
3.1140 inches first end
Mounting Hole Diameter:
0.102 inches axially through body, second end and 0.125 inches axially through body, second end
Bolt Hole Circle Diameter:
2.812 inches axially through body, second end and 3.875 inches axially through body, second end
Special Features:
Two 30 degrees Ig by 3/8 in.W slots in edge of gearon 3-7/8 in. Diameter circle
Material:
Copper
Surface Treatment:
Cadmium
Style Designator:
Protruding hub
Shelf Life:
N/a

## **NSN 3020-00-541-8368** Spur Gear - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

Demilitarization:

No

Fiig:

A27300