## NSN 3020-00-541-8368

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-541-8368

## Body Style:

Plain, solid

## **Attachment Method:**

Mounting hole

## **Pitch Diameter:**

5.0620 inches

## **Teeth Quantity:**

162

#### Bore Style:

Plain both ends

### Mounting Hole Type And Quantity:

4 countersunk axially through body, second end and 2 plain axially through body, second end

#### **Outside Diameter:**

5.1250 inches

### **Tooth Form:**

Standard

## Pressure Angle:

14.5000 degrees

## Distance Between Body Face And Protruding Hub End:

0.1715 inches first end

## Face Width:

0.062 inches

## Bore Diameter:

2.6250 inches both ends

## Hub Style Designator:

Plain first end

#### Hub Diameter:

3.1140 inches first end

## Mounting Hole Diameter:

0.102 inches axially through body, second end and 0.125 inches axially through body, second end

#### **Bolt Hole Circle Diameter:**

2.812 inches axially through body, second end and 3.875 inches axially through body, second end

#### **Special Features:**

Two 30 degrees Ig by 3/8 in.W slots in edge of gearon 3-7/8 in. Diameter circle

## Material:

Copper

## Surface Treatment:

Cadmium

#### Style Designator:

Protruding hub

## Shelf Life:

N/a

# NSN 3020-00-541-8368

Spur Gear - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A27300

