NSN 3020-00-542-0881

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-542-0881

Body Style:

Webbed, with lightening holes

End Application:

An/fps-6

Pitch Diameter:

9.6667 inches

Teeth Quantity:

116

Bore Style:

W/ keyway both ends

Hardness Rating:

23.0 rockwell c and 32.0 rockwell c

Outside Diameter:

9.830 inches

Nominallength:

1.500 inches

Tooth Form:

Standard

Pressure Angle:

20.0000 degrees

Distance Between Body Face And Protruding Hub End:

0.812 inches first end

Face Width:

0.688 inches

Bore Diameter:

1.000 inches both ends

Keyway Width:

0.187 inches both ends

Distance From Bore Center To Keyway Bottom:

0.602 inches both ends

Hub Style Designator:

1 step first end

End Length:

0.062 inches first end

End Diameter:

1.250 inches first end

First Step Length:

0.614 inches first end

First Step Diameter:

1.625 inches first end

Special Features:

T.O. 31p3-2fps6-4

NSN 3020-00-542-0881

Spur Gear - Page 2 of 2



Material:

Steel

Material Specification:

Mil-s-5626 military specification single material response

Style Designator:

One protruding hub, one flush hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-s-5626 spec.