## NSN 3020-00-555-7316



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-555-7316 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: Between 0.4990 inches and 0.5000 inches **Teeth Quantity:** 36 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 56 transversely through hub, first end **Mounting Hole Thread Size:** 0.086 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 0.527 inches Nominallength: 0.312 inches **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.187 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.157 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.312 inches first end Material: Steel **Material Specification:** Mil-an-s-771 comp fm military specification single material response **Surface Treatment: Passivate** 

**Style Designator:** 

Protruding hub

## NSN 3020-00-555-7316

Spur Gear - Page 2 of 2



Shelf	Life:
N/a	

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

Mil-an-s-771 spec.