NSN 3020-00-563-3809

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-563-3809 **Body Style:** Webbed, offset, solid **Attachment Method:** Mounting hole Pitch Diameter: 23.6250 inches **Teeth Quantity:** 567 **Bore Style:** Tapered second end **Backlash Designation:** Grade d **Mounting Hole Type And Quantity:** 8 counterbored axially through body, first end **Outside Diameter:** 23.704 inches **Tooth Form:** Standard Pressure Angle: 14.5000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.750 inches **Taper Major Diameter:** 5.866 inches second end **Hub Style Designator:** Plain both ends **Hub Diameter:** 8.000 inches second end **Precision Classification:** Quality number 12 **Mounting Hole Diameter:** 0.420 inches axially through body, first end **Bolt Hole Circle Diameter:** 6.876 inches axially through body, first end Material: Magnesium

Surface Treatment:

Style Designator: Protruding hubs

Lacquer

NSN 3020-00-563-3809

Spur Gear - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300