## NSN 3020-00-563-3816

Spur Antibacklash Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-563-3816 Pitch Diameter: 1.1250 inches **Teeth Quantity:** 27 **Bore Style:** W/ keyway both ends **Hardness Rating:** 25.0 rockwell c **Outside Diameter:** 1.217 inches Nominallength: 0.406 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees Distance Between Body Face And Protruding Hub End: 0.156 inches first end **Face Width:** 0.250 inches **Bore Diameter:** 0.240 inches both ends **Keyway Width:** 0.062 inches both ends **Distance From Bore Center To Keyway Bottom:** 0.168 inches both ends **Hub Style Designator:** Plain first end **Hub Diameter:** 0.406 inches first end **Precision Classification:** Quality number 9 Material: Steel comp 416 **Material Specification:** Qq-s-764, cond a federal specification single material response **Surface Treatment:** Passivate hub **Surface Treatment Specification:** Qq-p-35, type 1 federal specification single treatment response

**Style Designator:** 

Protruding hub

## NSN 3020-00-563-3816

Spur Antibacklash Gear - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300