## NSN 3020-00-563-6676

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-563-6676 **Body Style:** Plain, solid **Spline Quantity:** 13 both ends Pitch Diameter: 5.0000 inches **Teeth Quantity:** 35 **Bore Style:** Involute spline both ends **Spline Pitch Diameter:** 1.6250 inches both ends **Hardness Rating:** 58.0 rockwell c and 60.0 rockwell c **Outside Diameter:** 5.285 inches **Tooth Form:** Standard Pressure Angle: 20.5000 degrees **Distance Between Body Face And Protruding Hub End:** 1.120 inches both ends **Face Width:** 1.250 inches **Bore Diameter:** 1.750 inches both ends **Hub Style Designator:** 2 steps both ends **End Length:** 0.630 inches both ends **End Diameter:** 2.166 inches both ends First Step Length: 0.490 inches both ends First Step Diameter: 2.500 inches both ends **Second Step Length:** 

**Second Step Diameter:** 3.160 inches both ends

0.600 inches both ends

Material:

Steel comp 8620

## NSN 3020-00-563-6676

Spur Gear - Page 2 of 2



Material S	Specification
------------	---------------

Sae 8620 assn standard single material response

**Style Designator:** 

Protruding hubs

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300