NSN 3020-00-564-0542

Sprocket Wheel - Page 1 of 2

Outside Diameter:

1.040 inches



View Online at https://aerobasegroup.com/nsn/3020-00-564-0542

Overall Length:
0.587 inches
Thread Size:
No.10 (0.190 in.) -32
Bore Diameter:
0.312 inches
Bore Length:
0.587 inches
Pitch Diameter:
0.950 inches
Securing Hole Quantity:
1
Furnished Items And Quantity:
Setscrew 1
Face Width:
0.087 inches
Design Form:
Plain
Bore Type:
Straight
Counterbore Feature:
Not included
Hole Location:
Located on periphery of hub
Keying Facility:
Not included
Securing Method:
Threaded hole
Lightening Hole:
Not included
Protruding Hub Characteristic:
Grooved
Groove/step Location:
Aa end
Securing Location:
Aa end
Belt/chain/film Size For Which Designed:
Ladder chain
Teeth Row Quantity:
1

NSN 3020-00-564-0542 Sprocket Wheel - Page 2 of 2



Teeth Quantity Per Row:
16
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.185 inches
Hub End Outside Diameter And Location:
0.875 inches aa end
Distance From Outside Flange/rim To Hub End And Location:
0.500 inches both ends
First End Groove Diameter And Location:
0.765 inches aa end
First End Groove Width And Location:
0.125 inches aa end
First End Length From Groove To End And Location:
0.375 inches aa end
Material:
Steel
Material:
Steel
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T353-c