NSN 3020-00-566-5455

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-566-5455

Spline Major Diameter:
Between 2.247 inches and 2.249 inches
Outside Diameter:
19.821 inches
Overall Length:
2.125 inches
Spline Quantity:
6
Spline Minor Diameter:
Between 2.032 inches and 2.034 inches
Pitch Diameter:
19.112 inches
Face Width:
0.692 inches
Design Form:
Plain
Bore Type:
Straight spline
Spline Length:
2.125 inches
Counterbore Feature:
Not included
Keying Facility:
Not included
Lightening Hole:
Not included
Belt/chain/film Size For Which Designed:
Roller chain
Roller Chain Pitch Type For Which Designed:
Single pitch
Teeth Row Quantity:
1
Teeth Quantity Per Row:
48
Asa Standard Chain Number:
100
Hardness Rating Test Method:
Rockwell
Bore Bearing:
Not included
Hub External Keyway:
Not included

NSN 3020-00-566-5455 Sprocket Wheel - Page 2 of 2

Mil-s-16113 spec.



Tooth Pitch:
1.250 inches
Hub End Outside Diameter And Location:
4.500 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
0.976 inches aa end and 0.457 inches bb end
Material:
Steel, mil-s-16113, type 1, grade m
Material:
Steel uns k11801
Material Specification:
Mil-s-16113, type 1, grade m military specification single material response
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
T353-c
Mil-std (military Standard):