

View Online at <https://aerobasegroup.com/nsn/3020-00-566-7412>

Pilot Diameter:

0.997 inches

Counterbore Diameter:

1.130 inches

Counterbore Depth:

0.500 inches

Groove Depth:

0.498 inches

Groove Width:

0.375 inches

Outside Diameter:

3.090 inches

Overall Length:

1.660 inches

Flange Thickness:

0.070 inches

Keyway Width:

0.155 inches

Bore Diameter:

0.665 inches

Bore Length:

0.915 inches

Distance From Center Of Bore To Bottom Of Keyway:

0.085 inches

V Groove Angle In Deg:

34.0

Pitch Diameter:

2.965 inches

Flange Outside Diameter:

5.569 inches

Material And Location:

Steel

Face Width:

0.465 inches

Design Form:

Webbed

Bore Type:

Straight

Bearings:

Not included

Groove Quantity:

1

Counterbore Feature:

Included

Counterbore Location:

Aa end

Keying Facility:

Included

Keying Facility Type:

Keyway

Securing Method:

Key

Split Hub Feature:

Not included

Web/spoke Relationship To Face Centerline:

Not offset

Lightening Hole:

Not included

Integral Cooling Vane:

Included

Groove Shape:

V

Bore Feature:

Included

Protruding Hub Characteristic:

Plain

Hub End Outside Diameter And Location:

2.850 inches bb end

Distance From Outside Flange/rim To Hub End And Location:

0.540 inches bb end

Distance From Pilot End To Flange Face:

0.094 inches

Quantity:

1

Surface Treatment:

Enamel

Style Designator:

Plain

Surface Treatment:

Enameled

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T353-a