## NSN 3020-00-567-6947

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-567-6947

Body Style:
Plain, solid
Pitch Diameter:
1.3080 inches
Teeth Quantity:
42
Bore Style:
W/ keyway both ends
Hardness Rating:
50.0 rockwell c and 55.0 rockwell c teeth
Outside Diameter:
1.375 inches
Nominallength:
0.740 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.500 inches first end
Face Width:
0.240 inches
Bore Diameter:
0.406 inches both ends
Keyway Width:
0.190 inches both ends
Distance From Bore Center To Keyway Bottom:
0.390 inches both ends
Counterbore Depth:
0.438 inches both ends
Counterbore Diameter:
0.780 inches both ends
Hub Style Designator:
1 step first end
End Length:
0.375 inches first end
End Diameter:
1.022 inches first end
First Step Length:
0.500 inches first end
First Step Diameter:

1.025 inches first end

## NSN 3020-00-567-6947

Spur Gear - Page 2 of 2



Material:
Steel comp 4620
Material Specification:
Mil-s-7493, comp 4620 military specification single material response
Style Designator:
Protruding hub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Mil-std (military Standard): Mil-s-7493 spec.

**Fiig:** A27300