## NSN 3020-00-567-9379

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-567-9379

Body Style:
Plain, solid
Attachment Method:
Mounting hole
Pitch Diameter:
0.7916 inches
Teeth Quantity:
38
Bore Style:
Plain both ends
Mounting Hole Thread Series Designator:
Unc transversely through hub, first end
Mounting Hole Thready Qty Per Inch (tpi):
32 transversely through hub, first end
Mounting Hole Thread Size:
0.138 inches transversely through hub, first end
Mounting Hole Type And Quantity:
1 plain transversely through hub, first end and 1 threaded transversely through hub, first end
Outside Diameter:
0.833 inches
Nominallength:
0.344 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.250 inches first end
Face Width:
0.9687 inches
Bore Diameter:
0.188 inches both ends
Hub Style Designator:
Plain first end
Hub Diameter:
0.375 inches first end
Mounting Hole Diameter:
0.073 inches transversely through hub, first end
Special Features:
Drilled holes 90 degrees apart
Material:

Material

Copper alloy

## NSN 3020-00-567-9379

Spur Gear - Page 2 of 2



$\overline{}$			-			
<b>~</b> I	ırfa	ഫ	ırc	natr	nΔn	

Cadmium

Style Designator:

Protruding hub

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A27300