

View Online at <https://aerobasegroup.com/nsn/3020-00-571-3683>

Outside Diameter:

2.529 inches

Overall Length:

Between 0.807 inches and 0.812 inches

Bore Diameter:

Between 0.4726 inches and 0.4731 inches

Bore Length:

Between 0.807 inches and 0.812 inches

Drilled Hole Diameter:

0.093 inches

Pitch Diameter:

2.392 inches

Securing Hole Quantity:

1

Face Width:

Between 0.103 inches and 0.110 inches

Guide:

Not included

Design Form:

Plain

Bore Type:

Straight

Metallic Hardness Rating And Location:

26.0 rockwell c body and 33.0 rockwell c body

Counterbore Feature:

Not included

Hole Location:

On bb hub od

Keying Facility:

Not included

Securing Method:

Drilled hole

Lightening Hole:

Not included

Protruding Hub Characteristic:

Plain

Securing Location:

Bb end

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Single pitch

Teeth Row Quantity:

1

Teeth Quantity Per Row:

30

Hardness Rating Test Method:

Rockwell

Bore Bearing:

Not included

Hub External Keyway:

Not included

Tooth Pitch:

0.250 inches

Hub End Outside Diameter And Location:

0.750 inches both ends

Distance From Outside Flange/rim To Hub End And Location:

0.355 inches aa end and 0.347 inches bb end

Material:

Steel, mil-s-6758

Material:

Steel comp 4130

Material Specification:

Mil-s-6758 military specification single material response

Style Designator:

Plain

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T353-c

Mil-std (military Standard):

Mil-s-6758 spec.