NSN 3020-00-579-3956

Bevel Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-579-3956

| Body Style: |
|--|
| Plain, solid |
| Attachment Method: |
| Mounting hole |
| Pitch Diameter: |
| 0.6250 inches |
| Teeth Quantity: |
| 30 |
| Bore Style: |
| Plain both ends |
| Mounting Hole Type And Quantity: |
| 1 threaded transversely through hub, first end |
| Outside Diameter: |
| 0.6525 inches |
| Nominallength: |
| 0.344 inches |
| Teeth Type: |
| Straight |
| Pressure Angle: |
| 20.0000 degrees |
| Pitch Angle: |
| 45.0000 degrees |
| Distance Between Body Face And Protruding Hub End: |
| 0.188 inches second end |
| Body Recess Depth: |
| 0.0630 inches first end |
| Face Width: |
| 0.105 inches |
| Bore Diameter: |
| 0.187 inches both ends |
| Hub Style Designator: |
| Pinned second end |
| Hub Diameter: |
| 0.344 inches second end |
| Material: |
| Steel comp 303 |
| Material Specification: |
| Qq-s-763, class 303, cond a federal specification single material response |
| Surface Treatment: |
| Passivate |
| Style Designator: |
| Peripheral face, back hub protruding |

NSN 3020-00-579-3956

Bevel Gear - Page 2 of 2



| | Life: |
|--|-------|
| | |
| | |

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300