

View Online at <https://aerobasegroup.com/nsn/3020-00-580-3056>

**Groove Depth:**

0.647 inches

**Groove Width:**

0.500 inches

**Outside Diameter:**

7.313 inches

**Overall Length:**

5.844 inches

**Keyway Width:**

0.250 inches

**Bore Length:**

5.813 inches

**Distance From Center Of Bore To Bottom Of Keyway:**

1.281 inches

**V Groove Angle In Deg:**

36.000

**Pitch Diameter:**

6.031 inches

**Taper Bore Major Diameter:**

2.813 inches

**Taper Bore Minor Diameter:**

2.125 inches

**Material And Location:**

Iron

**Face Width:**

2.375 inches

**Design Form:**

Plain

**Bore Type:**

Tapered

**Bearings:**

Not included

**Taper Major Diameter Location:**

Bb end

**Groove Quantity:**

3

**Counterbore Feature:**

Not included

**Keying Facility:**

Included

**Keying Facility Type:**

Keyway

**Securing Method:**

Secured by keyway

**Split Hub Feature:**

Not included

**Web/spoke Relationship To Face Centerline:**

Not offset

**Lightening Hole:**

Not included

**Integral Cooling Vane:**

Not included

**Groove Shape:**

V

**Bore Feature:**

Included

**Protruding Hub Characteristic:**

Grooved

**Hub End Outside Diameter And Location:**

2.938 inches aa end

**Distance From Outside Flange/rim To Hub End And Location:**

2.188 inches aa end

**First Step Face Largest Diameter And Location:**

3.750 inches aa end

**Second Step Face Largest Diameter And Location:**

4.250 inches aa end

**First Step Length And Location:**

1.188 inches aa end

**Second Step Length And Location:**

0.375 inches aa end

**First End Groove Diameter And Location:**

4.500 inches aa end

**First End Groove Width And Location:**

0.938 inches aa end

**First End Length From Groove To End And Location:**

2.719 inches aa end

**Special Features:**

Six 3/8 in. Mtg holes on 3-7/8 in. Bolt hole circle on face of bb end for mtg a vibration damper assembly

**Quantity:**

1

**Style Designator:**

Plain

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T353-a