## NSN 3020-00-580-3945

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-580-3945 **Body Style:** Webbed, offset, with lightening holes **Attachment Method:** Mounting hole Pitch Diameter: 2.8750 inches **Teeth Quantity:** 92 **Mounting Hole Thread Series Designator:** Unf axially through body, first end Mounting Hole Thready Qty Per Inch (tpi): 28 axially through body, first end **Hardness Rating:** 28.0 rockwell c and 34.0 rockwell c **Mounting Hole Type And Quantity:** 2 threaded axially through body, first end **Outside Diameter:** 2.936 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.035 inches second end **Face Width:** 0.250 inches **Hub Style Designator:** Plain both ends **Precision Classification:** Quality number 10 or quality number 11 **Bolt Hole Circle Diameter:** 1.630 inches axially through body, first end Material: Steel comp 4130 **Material Specification:** Mil-s-6758 military specification single material response **Style Designator:** Protruding hubs Shelf Life: N/a

**Unit Of Measure:** 

## NSN 3020-00-580-3945

Spur Gear - Page 2 of 2



Demi			

Yes - demil/mli

Fiig:

A27300

Mil-std (military Standard):

Mil-s-6758 spec.