NSN 3020-00-580-4317

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-580-4317 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 0.3750 inches **Teeth Quantity:** 24 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Thread Size:** 0.112 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end **Outside Diameter:** 0.406 inches Nominallength: 0.343 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.182 inches first end **Face Width:** 0.161 inches **Bore Diameter:** 0.187 inches both ends **Hub Style Designator:** Pinned first end **Hub Diameter:** 0.375 inches first end **Precision Classification:** Quality number 10 or quality number 11 Material: Steel comp 303 **Material Specification:** Qq-s-763, class303 federal specification single material response

NSN 3020-00-580-4317

Spur Gear - Page 2 of 2



_		_		
S I I	rface	Iros	stm.	ant.

Passivate

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300