NSN 3020-00-585-1631

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-585-1631

| Body Style: |
|--|
| Webbed, solid |
| Attachment Method: |
| Mounting hole |
| Pitch Diameter: |
| 11.5910 inches |
| Teeth Quantity: |
| 92 |
| Bore Style: |
| W/ keyway both ends |
| Hardness Rating: |
| 31.0 rockwell c and 35.0 rockwell c |
| Mounting Hole Type And Quantity: |
| 4 plain axially through body, first end |
| Outside Diameter: |
| 11.837 inches |
| Teeth Type: |
| Single helix |
| Tooth Form: |
| Standard |
| Tooth Direction: |
| Right |
| Pressure Angle: |
| 14.5000 degrees |
| Helix Angle: |
| 10.0628 degrees |
| Distance Between Body Face And Recessed Hub End: |
| 0.562 inches second end |
| Face Width: |
| 7.000 inches |
| Bore Diameter: |
| 3.874 inches both ends |
| Keyway Width: |
| 1.000 inches both ends |
| Distance From Bore Center To Keyway Bottom: |
| 2.449 inches both ands |

Plain both ends

Hub Diameter:

6.375 inches second end

Hub Style Designator:

Mounting Hole Diameter:

1.000 inches axially through body, first end

NSN 3020-00-585-1631

Helical Gear - Page 2 of 2

Mil-std (military Standard):

Mil-s-890 spec.



| Bolt Hole Circle Diameter: |
|--|
| 8.188 inches axially through body, first end |
| Material: |
| Steel |
| Material Specification: |
| Mil-s-890, alloy no. 4 military specification single material response |
| Style Designator: |
| Recessed hubs |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A27300 |