## NSN 3020-00-585-9906

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-585-9906 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 3.4380 inches **Teeth Quantity:** 165 **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 40 transversely through hub, first end **Mounting Hole Type And Quantity:** 1 threaded transversely through hub, first end Nominallength: 0.438 inches **Tooth Form:** Standard Pressure Angle: 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.250 inches first end **Face Width:** 0.188 inches **Bore Diameter:** 0.250 inches both ends Material: Aluminum alloy 6061 **Material Specification:** Qq-a-225/8, t6 federal specification single material response **Surface Treatment:** Anodize **Surface Treatment Specification:** Mil-a-8625, type 2 military specification single treatment response **Style Designator:** Protruding hub Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## NSN 3020-00-585-9906

Spur Gear - Page 2 of 2



Fiig:

A27300

Mil-std (military Standard):

Mil-a-8625 spec.