NSN 3020-00-590-7522

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-590-7522

Body Style:

Webbed, offset, solid

Spline Quantity:

32 both ends

Attachment Method:

Mounting hole

Pitch Diameter:

4.6627 inches

Teeth Quantity:

45

Bore Style:

Involute spline both ends

Spline Pitch Diameter:

2.0000 inches both ends

Backlash Designation:

Grade a

Hardness Rating:

81.0 rockwell a and 85.0 rockwell a teeth

Mounting Hole Type And Quantity:

2 plain axially through hub, first end

Outside Diameter:

4.847 inches

Nominallength:

0.595 inches

Tooth Form:

Standard

Pressure Angle:

22.5000 degrees

Distance Between Body Face And Protruding Hub End:

0.395 inches second end

Distance Between Body Face And Recessed Hub End:

0.125 inches first end

Face Width:

0.200 inches

Bore Diameter:

2.034 inches both ends

Hub Style Designator:

Plain both ends

Hub Diameter:

2.470 inches second end

Mounting Hole Diameter:

0.156 inches axially through hub, first end

NSN 3020-00-590-7522

Spur Gear - Page 2 of 2



Bolt Hole Circle Diameter:

2.350 inches axially through hub, first end

Material:

Steel comp e9310

Material Specification:

Ams 6260 assn standard single material response

Style Designator:

Cone shape body, protruding hub, recessed hub

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A27300