NSN 3020-00-600-6186

Sprocket Wheel - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-600-6186

Spline Major Diameter:

Between 2.247 inches and 2.249 inches

Outside Diameter:

16.433 inches

Overall Length:

1.875 inches

Spline Quantity:

6

Spline Minor Diameter:

Between 2.032 inches and 2.034 inches

Drilled Hole Diameter:

0.252 inches

Pitch Diameter:

16.001 inches

Securing Hole Quantity:

2

Face Width:

0.459 inches

Guide:

Not included

Design Form:

Plain

Bore Type:

Straight spline

Spline Length:

1.875 inches

Counterbore Feature:

Not included

Hole Location:

On hub, 0.625 in. From end through center of spline

Keying Facility:

Not included

Securing Method:

Drilled hole

Lightening Hole:

Not included

Protruding Hub Characteristic:

Plain

Belt/chain/film Size For Which Designed:

Roller chain

Roller Chain Pitch Type For Which Designed:

Single pitch

NSN 3020-00-600-6186 Sprocket Wheel - Page 2 of 2

Teeth Row Quantity:
1
Teeth Quantity Per Row:
67
Hardness Rating Test Method:
Not rated
Bore Bearing:
Not included
Hub External Keyway:
Not included
Tooth Pitch:
0.750 inches
Hub End Outside Diameter And Location:
3.500 inches both ends
Distance From Outside Flange/rim To Hub End And Location:
1.416 inches both ends
Material:
Steel, mil-s-16113, type 1, grade m
Material:
Steel uns k11801
Material Specification:
Mil-s-16113, type 1, grade m military specification single material response
Style Designator:
Plain
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
Т353-с
Mil-std (military Standard):
Mil-s-16113 spec.

