NSN 3020-00-601-5170

Spur Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-601-5170

Body Style:
Plain, solid
Pitch Diameter:
Between 1.3323 inches and 1.3333 inches
Teeth Quantity:
160
Bore Style:
Plain both ends
Backlash Designation:
Grade c
Hardness Rating:
75.0 rockwell b and 82.0 rockwell b
Outside Diameter:
1.349 inches
Tooth Form:
Standard
Pressure Angle:
20.0000 degrees
Distance Between Body Face And Protruding Hub End:
0.219 inches first end
Face Width:
0.062 inches
Bore Diameter:
0.125 inches both ends
Hub Style Designator:
Pinned first end
Hub Diameter:
0.438 inches first end
Precision Classification:
Quality number 10
Material:
Steel comp 303
Material Specification:
Qq-s-763 federal specification single material response
Surface Treatment:
Passivate
Surface Treatment Specification:
Qq-p-35, type ii federal specification single treatment response
Style Designator:
Protruding hub
Furnished Items And Quantity:
1 setscrew

NSN 3020-00-601-5170

Spur Gear - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300