## NSN 3020-00-606-0786

Helical Gear - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/3020-00-606-0786

Body Style:
Plain, solid

Attachment Method:

Pitch Diameter:
2.6000 inches
Teeth Quantity:

Mounting hole

26

**Bore Style:** 

W/ keyway both ends

**Mounting Hole Thread Series Designator:** 

Unc transversely through hub, first end

Hardness Rating:

265.0 brinell standard and 321.0 brinell standard

**Mounting Hole Thread Size:** 

0.250 inches transversely through hub, first end

**Mounting Hole Type And Quantity:** 

1 threaded transversely through hub, first end

**Outside Diameter:** 

2.7670 inches

Teeth Type:

Single helix

**Tooth Form:** 

Special

**Tooth Direction:** 

Right

Pressure Angle:

20.0000 degrees

**Helix Angle:** 

14.9167 degrees

Distance Between Body Face And Protruding Hub End:

0.438 inches first end

Face Width:

1.312 inches

**Bore Diameter:** 

1.250 inches both ends

**Keyway Width:** 

0.250 inches both ends

**Distance From Bore Center To Keyway Bottom:** 

0.750 inches both ends

**Hub Style Designator:** 

1 groove first end

## **NSN 3020-00-606-0786** Helical Gear - Page 2 of 2



Hub Diameter:
2.000 inches first end
First Groove Width:
0.937 inches first end
First Groove Diameter:
1.750 inches first end
Distance From End To First Groove:
0.165 inches first end
Special Features:
Mtg hole 90 degs fromkeyway, centered in groove
Material:
Steel comp 4140
Material Specification:
66 federal standard single material response and aisi/sae 4140 assn standard single material response
Style Designator:
Protruding hub
Furnished Items And Quantity:
1 setscrew
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A27300