NSN 3020-00-606-4568



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-606-4568 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 5.0000 inches **Teeth Quantity:** 40 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc axially through body, second end Mounting Hole Thready Qty Per Inch (tpi): 16 axially through body, second end **Hardness Rating:** 54.0 rockwell c and 59.0 rockwell c **Mounting Hole Thread Size:** 0.375 inches axially through body, second end **Mounting Hole Type And Quantity:** 3 counterbored axially through body, second end and 3 plain axially through body, second end and 3 threaded axially through body, second end **Outside Diameter:** 5.250 inches **Tooth Form:** Standard **Pressure Angle:** 14.5000 degrees **Face Width:** 0.750 inches **Bore Diameter:** 2.000 inches both ends **Mounting Hole Diameter:** 0.406 inches axially through body, second end and 0.438 inches axially through body, second end **Bolt Hole Circle Diameter:** 2.875 inches axially through body, second end Material: Steel comp 4615 **Material Specification:** Ted standard 66 military specification single material response **Style Designator:**

N/a

Hubless Shelf Life:

NSN 3020-00-606-4568

Spur Gear - Page 2 of 2



Unit Of Measure:
Demilitarization:

No

Fiig:

A27300

Mil-std (military Standard):

spec.