NSN 3020-00-607-2363



Spur Gear - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/3020-00-607-2363 **Body Style:** Plain, solid **Attachment Method:** Mounting hole Pitch Diameter: 3.5000 inches **Teeth Quantity:** 168 **Bore Style:** Plain both ends **Mounting Hole Thread Series Designator:** Unc transversely through hub, first end Mounting Hole Thready Qty Per Inch (tpi): 32 transversely through hub, first end **Mounting Hole Thread Size:** 0.164 inches transversely through hub, first end **Mounting Hole Type And Quantity:** 2 threaded transversely through hub, first end **Outside Diameter:** 3.542 inches **Tooth Form:** Standard **Pressure Angle:** 20.0000 degrees **Distance Between Body Face And Protruding Hub End:** 0.435 inches first end **Face Width:** 0.125 inches **Bore Diameter:** 0.250 inches both ends **Hub Style Designator:** 2 steps first end **End Length:** 0.060 inches first end **Precision Classification:** Quality number 10 or quality number 11 **End Diameter:** 0.298 inches first end First Step Length: 0.060 inches first end

First Step Diameter: 0.318 inches first end

NSN 3020-00-607-2363

Spur Gear - Page 2 of 2



Second	Step	Length

0.215 inches first end

Second Step Diameter:

0.500 inches first end

Material:

Copper alloy

Style Designator:

Protruding hub

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A27300